

## ANALYTICA CHIMICA ACTA, VOL. 255 (1991)

## AUTHOR INDEX

- Aaron, J.J., see Balaei, S. 305  
 Afonso Perera, A., see Santana Rodriguez, J.J. 107  
 Albrecht, S.  
   —, Brandl, H., Böhm, W.-D., Beckert, R., Kroschwitz, H. and Neumeister, V.  
   Determination of urinary oxalate and porphyrins by peroxyoxalate chemiluminescence 413  
 Albrecht, S., see Zimmermann, T. 373  
 Aly, F.A., see Belal, F. 103  
 Angel, S.M., see Northrup, M.A. 275  
 Apak, R., see Tütem, E. 121  
 Armstrong, D.W., see Menges, R.A. 157
- Baeyens, W.R.G., see Lin Ling, B. 283  
 Balaei, S.  
   — and Aaron, J.J.  
   Solid-surface fluorescence analysis using a fibre-optic sensor 305  
 Basiuk, V.A.  
   — and Khil'chevskaya, E.G.  
   Gas-phase acylation of aminopropyl-silica gel in the synthesis of some chemically bonded silica materials for analytical applications 197  
 Battino, M.  
   —, Ferri, E., Girotti, S. and Lenaz, G.  
   Free radical scavenging activity of coenzyme Q measured by a chemiluminescent assay 367  
 Beckert, R., see Albrecht, S. 413  
 Belal, F.  
   —, Ibrahim, F., Hassan, S.M. and Aly, F.A.  
   Spectrofluorimetric determination of some pharmaceutically important thioxanthene derivatives 103  
 Blais, J., see Vazquez, M.L. 343  
 Blum, L.J., see Gautier, S.M. 253  
 Böhm, W.-D., see Albrecht, S. 413  
 Botrè, C., see Botrè, F. 59  
 Botrè, F.  
   —, Mazzei, F., Lanzi, M., Lorenti, G. and Botrè, C.  
   Plant-tissue electrode for the determination of catechol 59  
 Bouve, J.  
   —, De Boever, J., Leyseele, D., Vandekerckhove, D. and Kohen, F.  
   Improvement of assay sensitivity in immunoassay: chemiluminescence immunoassay for estradiol as a model 417  
 Bovara, R., see Girotti, S. 259  
 Bramlage, J., see Johnson, B.F. 127
- Brandl, H., see Albrecht, S. 413  
 Brennan, J.D.  
   —, Brown, R.S., Foster, D., Kallury, R.K. and Krull, U.J.  
   Fluorescence transduction of an enzyme-substrate reaction by covalently immobilized monolayers of amphiphiles 73  
 Brown, R.S., see Brennan, J.D. 73  
 Bruns, R.E., see De Andrade, J.C. 149  
 Bückmann, F., see Schelp, C. 223  
 Budini, R., see Girotti, S. 259
- Cabaniss, S.E.  
   Carboxylic acid content of a fulvic acid determined by potentiometry and aqueous Fourier transform infrared spectrometry 23  
 Calokerinos, A.C., see Syropoulos, A.B. 403  
 Carrea, G., see Girotti, S. 259  
 Cepeda, A., see Vazquez, M.L. 343  
 Chen, S., see Schulman, S.G. 383  
 Chiang, L.  
   —, Magee, R.J. and James, B.D.  
   Chromatographic determination of chlorinated phenoxyacetic acids by simultaneous extraction-methylation and application to soil analysis 187  
 Compañó, R.  
   —, Hernández-Cassou, S., Prat, M.D. and García-Beltrán, L.  
   Flow-injection determination of zinc by fluorescence spectrometry 325  
 Čosović, B., see Plavšić, M. 15  
 Coulet, P.R., see Gautier, S.M. 253
- Darbord, J.C., see Decool, A. 423  
 De Andrade, J.C.  
   —, Eiras, S.P. and Bruns, R.E.  
   Study of the Mo(VI) catalytic response in the oxidation of iodide by hydrogen peroxide using a monosegmented continuous-flow system 149  
 De Boever, J., see Bouve, J. 417  
 Decool, A.  
   —, Goury, V., Tibi, A., Gibaud, S., Vincent, F. and Darbord, J.C.  
   Detection of bacterial adenosine triphosphate through bioluminescence, applied to a rapid sterility test of injectable preparations 423  
 Dewaele, C., see Lin Ling, B. 283  
 Diaz García, M.E., see Liu, Y.-M. 245

- Doherty, A.P.  
 —, Forster, R.J., Smyth, M.R. and Vos, J.G.  
 Development of a sensor for the detection of nitrite using a glassy carbon electrode modified with the electrocatalyst [Os(bipy)<sub>2</sub>(PVP)<sub>10</sub>Cl]Cl 45  
 Dorsey, J.G., see Johnson, B.F. 127  
 Durán-Merás, I., see Muñoz de la Peña, A. 351  
 Durán, M.S., see Muñoz de la Peña, A. 317
- Eckert, D.J.M.  
 —, Judd, R.J., Lay, P.A. and Symons, A.D.  
 Response of chromium(V) to the diphenylcarbazide spectrophotometric method for the determination of chromium(VI) 31  
 Eiras, S.P., see De Andrade, J.C. 149  
 Engelaer, F.W., see Niederländer, H.A.G. 395
- Ferri, E., see Battino, M. 367  
 Ferri, E., see Girotti, S. 387  
 Fiechter, A., see Filippini, C. 91  
 Filippini, C.  
 —, Moser, J.U., Sonnleitner, B. and Fiechter, A.  
 On-line capillary gas chromatography with automated liquid sampling, a powerful tool in biotechnology 91  
 Flagler, M., see Gardell, D. 289  
 Fluri, K., see Tan, S.S.S. 35  
 Forster, R.J., see Doherty, A.P. 45  
 Foster, D., see Brennan, J.D. 73
- Galbán, J., see Sanz, J. 113  
 Gallarta, F., see Sanz, J. 113  
 Gao, Y.-H., see Sakai, T. 135  
 García-Beltrán, L., see Compañó, R. 325  
 García Pareja, A., see García Sánchez, F. 311  
 García Sánchez, F.  
 —, Hernández López, M. and García Pareja, A.  
 Spectrofluorimetric determination of the organophosphorus insecticide quinalphos in citrus fruits 311  
 Gardell, D.  
 —, Flagler, M. and Raman, S.  
 The first serial operator-independent assessments of thrombocyte surface markers using reflected fluorimetry 289  
 Gautier, S.M.  
 —, Blum, L.J. and Coulet, P.R.  
 Cofactor-containing bioluminescent fibre-optic sensor: new developments with poly(vinyl alcohol) matrices 253  
 Gentilomi, G., see Girotti, S. 387  
 Ghini, S., see Girotti, S. 259, 387  
 Gibaud, S., see Decool, A. 423  
 Gibellini, D., see Girotti, S. 387  
 Girotti, S.  
 —, Ferri, E., Ghini, S., Musiani, M., Zerbini, M.L., Gibellini, D. and Gentilomi, G.  
 Direct quantitative chemiluminescent assays for the detection of viral DNA 387  
 —, Ghini, S., Carrea, G., Bovara, R., Roda, A. and Budini, R.  
 Bioluminescent flow sensor for D-(-)-lactate 259  
 Girotti, S., see Battino, M. 367  
 Gonzalez Diaz, V., see Santana Rodriguez, J.J. 107  
 Gooijer, C., see Niederländer, H.A.G. 395  
 Goury, V., see Decool, A. 423  
 Guevremont, R.  
 —, Pathak, V., Quigley, M.N. and Wright, J.L.C.  
 Comparison of cation-exchange and chelating cation-exchange resins for the concentration of saxitoxin 163
- Haggart, R.  
 — and Leaback, D.H.  
 Quantitative immunofluorescence using a cooled slow-scan charge-coupled detector camera 269  
 Hassan, S.M., see Belal, F. 103  
 Hauser, P.C., see Tan, S.S.S. 35  
 Hernández-Cassou, S., see Compañó, R. 325  
 Hernández López, M., see García Sánchez, F. 311  
 Hurtubise, R.J., see Richmond, M.D. 335
- Ibrahim, F., see Belal, F. 103  
 Imasama, T., see Kawabata, Y. 97  
 Ishibashi, N., see Kawabata, Y. 97
- James, B.D., see Chiang, L. 187  
 Jansen, E.H.J.M.  
 — and Reinerink, E.J.M.  
 Fast chemiluminescence detection of the oxidase activity of cytochrome P-450 isoenzymes in column chromatography 363  
 —, Laan, C.A., Van den Berg, R.H. and Reinerink, E.J.M.  
 Chemiluminescence detection of cytochrome P-450 isoenzymes on Western blots with different enzyme systems 359  
 Jimidar, M., see Moors, M. 177  
 Johnson, B.F.  
 —, Bramlage, J. and Dorsey, J.G.  
 Solute focusing in flow-injection systems: effect of solute capacity factor and position of solute-focusing column 127  
 Judd, R.J., see Eckert, D.J.M. 31
- Kallury, R.K., see Brennan, J.D. 73  
 Kawabata, Y.  
 —, Imasama, T. and Ishibashi, N.  
 Fluorimetric determination of potassium ion using hexadecyl-acridine orange immobilized on a poly(vinyl chloride) membrane attached to a flow-through cell 97  
 Khil'chevskaya, E.G., see Basiuk, V.A. 197  
 Kido, T., see Tabata, M. 83  
 Kohen, F., see Bouve, J. 417  
 Kopprasch, S., see Zimmermann, T. 373  
 Kroschwitz, H., see Albrecht, S. 413  
 Krull, U.J., see Brennan, J.D. 73  
 Krüttli, M., see Tan, S.S.S. 35  
 Kuehne, H., see Zimmermann, T. 373  
 Kulp, T.J., see Northrup, M.A. 275

- Laan, C.A., see Jansen, E.H.J.M. 359  
Lanzi, M., see Botrè, F. 59  
Lauschke, G., see Zimmermann, T. 373  
Lay, P.A., see Eckert, D.J.M. 31  
Leaback, D.H., see Haggart, R. 269  
Leiner, M.J.P.  
Luminescence chemical sensors for biomedical applications: scope and limitations. Review 209  
Lenaz, G., see Battino, M. 367  
Leyseele, D., see Bouve, J. 417  
Lin Ling, B.  
—, Baeyens, W.R.G. and Dewaele, C.  
Capillary zone electrophoresis with ultraviolet and fluorescence detection for the analysis of thiols. Application to mixtures and blood 283  
Liu, Y.-M.  
—, Pereiro García, R., Diaz García, M.E. and Sanz-Medel, A.  
Room-temperature luminescence optosensing based on immobilized metal chelates: application to iodide determination 245  
Lorenti, G., see Botrè, F. 59  
  
Magee, R.J., see Chiang, L. 187  
Mahuzier, G., see Vazquez, M.L. 343  
Massart, D.L., see Moors, M. 177  
Mazzei, F., see Botrè, F. 59  
Menges, R.A.  
— and Armstrong, D.W.  
Use of a three-phase model with hydroxypropyl- $\beta$ -cyclodextrin for the direct determination of large octanol-water and cyclodextrin-water partition coefficients 157  
Miletić, S., see Plavšić, M. 15  
Moors, M.  
—, Teixeira, C.R.R.R., Jimidar, M. and Massart, D.L.  
Solid-phase extraction of the preservatives sorbic acid and benzoic acid and the artificial sweeteners aspartame and saccharin 177  
Moser, J.U., see Filippini, C. 91  
Muñoz de la Peña, A.  
—, Durán-Merás, I., Salinas, F., Warner, I.M. and Ndou, T.T.  
Cyclodextrin-induced fluid solution room-temperature phosphorescence from acenaphthene in the presence of 2-bromoethanol 351  
—, Salinas, F. and Durán, M.S.  
Simultaneous determination of propranolol and hydralazine by derivative synchronous spectrofluorimetry 317  
Musiani, M., see Girotti, S. 387  
  
Navas Díaz, A.  
Fibre-optic remote sensor for in situ fluorimetric quantification in thin-layer chromatography 297  
Ndou, T.T., see Muñoz de la Peña, A. 351  
Neumeister, V., see Albrecht, S. 413  
  
Niederländer, H.A.G.  
—, Van Assema, W., Engelaer, F.W., Gooijer, C. and Velthorst, N.H.  
Dioxetane chemiluminescence detection in liquid chromatography 395  
Niessner, R.  
—, Panne, U. and Schröder, H.  
Fibre-optic sensor for the determination of polynuclear aromatic hydrocarbons with time-resolved, laser-induced fluorescence 231  
Nørgaard, L.  
Determination of pH gradients and acidity constants in flow-injection analysis systems by evolving factor analysis 143  
Northrup, M.A.  
—, Kulp, T.J. and Angel, S.M.  
Application of fluorescent particle imaging to measuring flow in complex media 275  
  
Ohno, N., see Sakai, T. 135  
  
Panne, U., see Niessner, R. 231  
Pathak, V., see Guevremont, R. 163  
Pereiro García, R., see Liu, Y.-M. 245  
Perrin, J.H., see Schulman, S.G. 383  
Plavšić, M.  
—, Čosović, B. and Miletić, S.  
Comparison of the behaviours of copper, cadmium and lead in the presence of humic acid in sodium chloride solutions 15  
Prat, M.D., see Compañó, R. 325  
Prognon, P., see Vazquez, M.L. 343  
Pyrzyńska, K.  
Membrane method for preconcentrating and separating gold complexes from aqueous solutions containing other platinum group metals 169  
  
Quigley, M.N., see Guevremont, R. 163  
  
Raman, S., see Gardell, D. 289  
Reardon, K.F., see Schelp, C. 223  
Reinerink, E.J.M., see Jansen, E.H.J.M. 359, 363  
Richmond, M.D.  
— and Hurtubise, R.J.  
 $\beta$ -Cyclodextrin solid-matrix luminescence characterization of stereoisomeric tetrols 335  
Roda, A., see Girotti, S. 259  
Rusterholz, B., see Tan, S.S.S. 35  
  
Sakai, T.  
—, Gao, Y.-H., Ohno, N. and Ura, N.  
Batchwise and flow-injection methods for thermo-spectrophotometric determination of acetylcholine and choline with tetrabromophenolphthalein ethyl ester 135  
Salinas, F., see Muñoz de la Peña, A. 317, 351



- Santana Rodriguez, J.J.  
—, Sosa Ferrera, Z., Afonso Perera, A. and Gonzalez Diaz, V.  
Simultaneous synchronous fluorimetric determination of benzo[a]pyrene and perylene in micellar media 107
- Sanz, J.  
—, Gallarta, F. and Galbán, J.  
Simultaneous determination of inorganic arsenic(III) and arsenic(V) by arsine generation and gas-phase molecular absorption spectrometry 113
- Sanz-Medel, A., see Liu, Y.-M. 245
- Schelp, C.  
—, Scheper, Th., Bückmann, F. and Reardon, K.F.  
Two fibre-optic sensors with confined enzymes and coenzymes: development and application 223
- Scheper, Th., see Schelp, C. 223
- Schröder, H., see Niessner, R. 231
- Schulman, S.G.  
—, Perrin, J.H., Yan, G.F. and Chen, S.  
Determination of cephalothin sodium by a chemiluminescence method 383  
—, Townsend, R.W. and Zhang, Y.  
Operational pH in aqueous acetonitrile based upon the rate of a simple pH dependent reaction 329
- Schuster, R., see Zimmermann, T. 373
- Seiler, K., see Tan, S.S.S. 35
- Sigel, H.  
—, Zuberbühler, A.D. and Yamauchi, O.  
Comments on potentiometric pH titrations and the relationship between pH-meter reading and hydrogen ion concentration 63
- Simon, W., see Tan, S.S.S. 35
- Smyth, M.R., see Doherty, A.P. 45
- Sonnleitner, B., see Filippini, C. 91
- Sosa Ferrera, Z., see Santana Rodriguez, J.J. 107
- Spichiger, U.E., see Tan, S.S.S. 35
- Suter, G., see Tan, S.S.S. 35
- Symons, A.D., see Eckert, D.J.M. 31
- Syropoulos, A.B.  
— and Calokerinos, A.C.  
Continuous-flow chemiluminometric determination of some tetracyclines 403
- Tabata, M.  
— and Kido, T.  
Usefulness of immobilized glutamine synthetase for the removal of ammonia and its application to the determination of creatinine in urine 83
- Tan, S.S.S.  
—, Hauser, P.C., Wang, K., Fluri, K., Seiler, K., Rusterholz, B., Suter, G., Krüttli, M., Spichiger, U.E. and Simon, W.  
Reversible optical sensing membrane for the determination of chloride in serum 35
- Teixeira, C.R.R.R., see Moors, M. 177
- Tibi, A., see Decool, A. 423
- Townsend, R.W., see Schulman, S.G. 329
- Trausch, M., see Zimmermann, T. 373
- Tütem, E.  
— and Apak, R.  
Simultaneous spectrophotometric determination of cystine and cysteine in amino acid mixtures using copper(II)-neocuproin reagent 121
- Uchiyama, S.  
— and Umetsu, Y.  
Concentration-step amperometric sensor of L-ascorbic acid using cucumber juice 53
- Umetsu, Y., see Uchiyama, S. 53
- Ura, N., see Sakai, T. 135
- Van Assema, W., see Niederländer, H.A.G. 395
- Vandekerckhove, D., see Bouve, J. 417
- Van den Berg, R.H., see Jansen, E.H.J.M. 359
- Vazquez, M.L.  
—, Cepeda, A., Prognon, P., Mahuzier, G. and Blais, J.  
Cyclodextrins as modifiers of the luminescence characteristics of aflatoxins 343
- Velthorst, N.H., see Niederländer, H.A.G. 395
- Vincent, F., see Decool, A. 423
- Vos, J.G., see Doherty, A.P. 45
- Wang, K., see Tan, S.S.S. 35
- Wardencki, W.  
— and Zygmunt, B.  
Gas chromatographic sulphur-sensitive detectors in environmental analysis. Review 1
- Warner, I.M., see Muñoz de la Peña, A. 351
- Wright, J.L.C., see Guevremont, R. 163
- Yamauchi, O., see Sigel, H. 63
- Yan, G.F., see Schulman, S.G. 383
- Zerbini, M.L., see Girotti, S. 387
- Zhang, Y., see Schulman, S.G. 329
- Zimmermann, T.  
—, Schuster, R., Lauschke, G., Trausch, M., Albrecht, S., Kopprasch, S. and Kuehne, H.  
Chemiluminescence response of whole blood and separated blood cells in cases of experimentally induced pancreatitis and MDTQ-DA-Trasylol-ascorbic acid therapy 373
- Zuberbühler, A.D., see Sigel, H. 63
- Zygmunt, B., see Wardencki, W. 1